

| Vörunr. | Vöruheiti | Þyngd | A | H |
|---------|--|-------------|---|---|
| | Ryðfrítt flatstál / Stainless steel flat bars | kg/m | | |
| | EN 1.4301/AISI 304, DIN 1017, Klippt, lgd 5 m | | | |
| 3-96810 | Rf 15x3mm Fl. kl. | 0,36 | • | • |
| 3-96871 | Rf 20x3mm Fl. kl. | 0,48 | • | • |
| 3-96872 | Rf 25x3mm Fl. kl. | 0,60 | • | • |
| 3-96873 | Rf 30x3mm Fl. kl. | 0,73 | • | • |
| 3-96874 | Rf 40x3mm Fl. kl. | 0,97 | • | • |
| 3-96876 | Rf 20x4mm Fl. kl. | 0,65 | • | • |
| 3-96877 | Rf 25x4mm Fl. kl. | 0,81 | • | • |
| 3-96878 | Rf 30x4mm Fl. kl. | 0,97 | • | • |
| 3-96880 | Rf 40x4mm Fl. kl. | 1,29 | • | • |
| 3-96881 | Rf 50x4mm Fl. kl. | 1,61 | • | • |
| 3-96882 | Rf 15x5mm Fl. kl. | 0,60 | • | • |
| 3-96883 | Rf 20x5mm Fl. kl. | 0,81 | • | • |
| 3-96884 | Rf 25x5mm Fl. kl. | 1,01 | • | • |
| 3-96885 | Rf 30x5mm Fl. kl. | 1,21 | • | • |
| 3-96886 | Rf 35x5mm Fl. kl. | 1,41 | • | • |
| 3-96887 | Rf 40x5mm Fl. kl. | 1,61 | • | • |
| 3-96889 | Rf 50x5mm Fl. kl. | 2,02 | • | • |
| 3-96890 | Rf 60x5mm Fl. kl. | 2,42 | • | • |
| 3-96892 | Rf 20x6mm Fl. kl. | 0,96 | • | • |
| 3-96893 | Rf 25x6mm Fl. kl. | 1,21 | • | • |
| 3-96894 | Rf 30x6mm Fl. kl. | 1,45 | • | • |
| 3-96896 | Rf 40x6mm Fl. kl. | 1,93 | • | • |
| 3-96897 | Rf 50x6mm Fl. kl. | 2,42 | • | • |
| 3-96898 | Rf 60x6mm Fl. kl. | 2,90 | • | • |
| 3-96900 | Rf 80x6mm Fl. kl. | 3,87 | • | • |
| 3-96901 | Rf 100x6mm Fl. kl. | 4,84 | • | • |
| 3-29595 | Rf 120x6mm Fl. kl. | 5,76 | • | • |
| 3-96811 | Rf 30x8mm Fl. kl. | 1,93 | • | • |
| 3-15109 | Rf 40x8mm Fl. kl. | 2,58 | • | • |
| 3-15112 | Rf 50x8mm Fl. kl. | 3,22 | • | • |
| 3-15115 | Rf 60x8mm Fl. kl. | 3,87 | • | • |
| 3-15118 | Rf 80x8mm Fl. kl. | 5,16 | • | • |
| 3-15121 | Rf 100x8mm Fl. kl. | 6,45 | • | • |
| 3-95500 | Rf 150x8mm Fl. kl. | 9,60 | • | • |

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

| Vörunr. | Vöruheiti | Þyngd | A | H |
|---------|---|-------------|---|---|
| | Ryðfrítt flatstál / Stainless steel flat bars | kg/m | | |
| | EN 1.4301/AISI 304, DIN 1017, Klíppt, lgd 5 m | | | |
| 3-15110 | Rf 40x10mm Fl. kl. | 3,22 | • | • |
| 3-15113 | Rf 50x10mm Fl. kl. | 4,03 | • | • |
| 3-15116 | Rf 60x10mm Fl. kl. | 4,84 | • | • |
| 3-15119 | Rf 80x10mm Fl. kl. | 6,45 | • | • |
| 3-15122 | Rf 100x10mm Fl. kl. | 8,06 | • | • |
| 3-15114 | Rf 50x12mm Fl. kl. | 4,84 | • | • |
| 3-15123 | Rf 100x12mm Fl. kl. | 9,67 | • | • |
| | Ryðfrítt flatstál / Stainless steel flat bars | | | |
| | EN 1.4301/AISI 304, DIN 1017, Heitv. glóð., bæs. C max 0,05, lgd 5 m | | | |
| 3-96401 | Rf 15x3mm Fl. hv. | 0,36 | | • |
| 3-96403 | Rf 20x3mm Fl. hv. | 0,48 | | • |
| 3-96405 | Rf 25x3mm Fl. hv. | 0,60 | | • |
| 3-96407 | Rf 30x3mm Fl. hv. | 0,73 | | • |
| 3-96411 | Rf 40x3mm Fl. hv. | 0,97 | | • |
| 3-96417 | Rf 20x4mm Fl. hv. | 0,65 | | • |
| 3-96419 | Rf 25x4mm Fl. hv. | 0,81 | | • |
| 3-96421 | Rf 30x4mm Fl. hv. | 0,97 | | • |
| 3-96425 | Rf 40x4mm Fl. hv. | 1,29 | | • |
| 3-96431 | Rf 20x5mm Fl. hv. | 0,81 | | • |
| 3-96433 | Rf 25x5mm Fl. hv. | 1,01 | | • |
| 3-96435 | Rf 30x5mm Fl. hv. | 1,21 | | • |
| 3-96437 | Rf 35x5mm Fl. hv. | 1,41 | | • |
| 3-96439 | Rf 40x5mm Fl. hv. | 1,61 | | • |
| 3-96443 | Rf 50x5mm Fl. hv. | 2,02 | | • |
| 3-96457 | Rf 30x6mm Fl. hv. | 1,45 | | • |
| 3-96459 | Rf 35x6mm Fl. hv. | 1,69 | | • |
| 3-96461 | Rf 40x6mm Fl. hv. | 1,93 | | • |
| 3-96463 | Rf 50x6mm Fl. hv. | 2,42 | | • |
| 3-96465 | Rf 60x6mm Fl. hv. | 2,90 | | • |
| 3-96469 | Rf 80x6mm Fl. hv. | 3,87 | | • |
| 3-96471 | Rf 100x6mm Fl. hv. | 4,84 | | • |
| 3-96475 | Rf 20x8mm Fl. hv. | 1,29 | | • |
| 3-96477 | Rf 25x8mm Fl. hv. | 1,61 | | • |

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

| Vörunr. | Vöruheiti | Þyngd | A | H |
|---------|---|-------------|---|---|
| | Ryðfrítt flatstál / Stainless steel flat bars | kg/m | | |
| | EN 1.4301/AISI 304, DIN 1017, Heitv. glóð., bæs. C max 0,05, lgd 5 m | | | |
| 3-96479 | Rf 30x8mm Fl. hv. | 1,93 | | • |
| 3-96481 | Rf 35x8mm Fl. hv. | 2,26 | | • |
| 3-96483 | Rf 40x8mm Fl. hv. | 2,58 | | • |
| 3-96487 | Rf 50x8mm Fl. hv. | 3,22 | | • |
| 3-96489 | Rf 60x8mm Fl. hv. | 3,87 | | • |
| 3-96491 | Rf 70x8mm Fl. hv. | 4,51 | | • |
| 3-96493 | Rf 80x8mm Fl. hv. | 5,16 | | • |
| 3-96495 | Rf 100x8mm . Fl. hv. | 6,45 | | • |
| 3-96497 | Rf 15x10mm Fl. hv. | 1,26 | | • |
| 3-96499 | Rf 20x10mm Fl. hv. | 1,61 | | • |
| 3-96501 | Rf 25x10mm Fl. hv. | 2,02 | | • |
| 3-96503 | Rf 30x10mm Fl. hv. | 2,42 | | • |
| 3-96505 | Rf 35x10mm Fl. hv. | 2,82 | | • |
| 3-96507 | Rf 40x10mm Fl. hv. | 3,22 | | • |
| 3-96511 | Rf 50x10mm Fl. hv. | 4,03 | | • |
| 3-96513 | Rf 60x10mm Fl. hv. | 4,84 | | • |
| 3-96517 | Rf 70x10mm Fl. hv. | 5,64 | | • |
| 3-96519 | Rf 80x10mm Fl. hv. | 6,45 | | • |
| 3-96523 | Rf 100x10mm Fl. hv. | 8,06 | | • |
| 3-96525 | Rf 120x10mm Fl. hv. | 9,42 | | • |
| 3-96533 | Rf 150x10mm Fl. hv. | 12,00 | | • |
| 3-96535 | Rf 20x12mm Fl. hv. | 1,93 | | • |
| 3-96537 | Rf 25x12mm Fl. hv. | 2,42 | | • |
| 3-96539 | Rf 30x12mm Fl. hv. | 2,90 | | • |
| 3-96543 | Rf 40x12mm Fl. hv. | 3,87 | | • |
| 3-96545 | Rf 50x12mm Fl. hv. | 4,84 | | • |
| 3-96547 | Rf 60x12mm Fl. hv. | 5,80 | | • |
| 3-96553 | Rf 80x12mm Fl. hv. | 7,74 | | • |
| 3-96555 | Rf 100x12mm Fl. hv. | 9,67 | | • |
| 3-96563 | Rf 30x15mm Fl. hv. | 3,57 | | • |
| 3-96567 | Rf 40x15mm Fl. hv. | 4,47 | | • |
| 3-96571 | Rf 50x15mm Fl. hv. | 5,93 | | • |
| 3-96573 | Rf 60x15mm Fl. hv. | 7,11 | | • |
| 3-96583 | Rf 100x15mm Fl. hv. | 11,80 | | • |

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

| Vörunr. | Vöruheiti | Þyngd | A | H |
|---------|--|-------------|---|---|
| | Ryðfrítt flatstál / Stainless steel flat bars | kg/m | | |
| | EN 1.4301/AISI 304, DIN 1017, Heitv. glóð., bæ. C max 0,05, lgd 5 m | | | |
| 3-96585 | Rf 120x15mm Fl. hv. | 14,40 | | • |
| 3-96587 | Rf 150x15mm Fl. hv. | 18,10 | | • |
| 3-96619 | Rf 30x20mm Fl. hv. | 4,84 | | • |
| 3-96621 | Rf 40x20mm Fl. hv. | 6,45 | | • |
| 3-96623 | Rf 50x20mm Fl. hv. | 8,06 | | • |
| 3-96625 | Rf 60x20mm Fl. hv. | 9,67 | | • |
| 3-96627 | Rf 70x20mm Fl. hv. | 11,30 | | • |
| 3-96631 | Rf 80x20mm Fl. hv. | 12,90 | | • |
| 3-96633 | Rf 100x20mm Fl. hv. | 16,10 | | • |
| 3-96635 | Rf 30x25mm Fl. hv. | 6,00 | | • |
| 3-96637 | Rf 40x25mm Fl. hv. | 8,06 | | • |
| 3-96639 | Rf 50x25mm Fl. hv. | 11,13 | | • |
| 3-96641 | Rf 60x25mm Fl. hv. | 12,10 | | • |
| 3-96643 | Rf 80x25mm Fl. hv. | 16,10 | | • |
| 3-96647 | Rf 60x30mm Fl. hv. | 14,10 | | • |
| | Ryðfrítt flatstál / Stainless steel flat bars | | | |
| | EN 1.4404/AISI 316L, DIN 1017, Heitvalsað, glóðað og bæsað, lgd 5 m | | | |
| 3-96406 | Rf 25x3mm Fl. Hv. 316 | 0,60 | | • |
| 3-96408 | Rf 30x3mm Fl. hv. 316 | 0,73 | | • |
| 3-96418 | Rf 20x4mm Fl. hv. 316 | 0,65 | | • |
| 3-96422 | Rf 30x4mm Fl. hv. 316 | 0,97 | | • |
| 3-96426 | Rf 40x4mm Fl. hv. 316 | 1,29 | | • |
| 3-96436 | Rf 30x5mm Fl. hv. 316 | 1,21 | | • |
| 3-96440 | Rf 40x5mm Fl. hv. 316 | 1,61 | | • |
| 3-96444 | Rf 50x5mm Fl. hv. 316 | 2,02 | | • |
| 3-96456 | Rf 25x6mm Fl. hv. 316 | 1,21 | | • |
| 3-96458 | Rf 30x6mm Fl. hv. 316 | 1,45 | | • |
| 3-96462 | Rf 40x6mm Fl. hv. 316 | 1,93 | | • |
| 3-96464 | Rf 50x6mm Fl. hv. 316 | 2,42 | | • |
| 3-96478 | Rf 25x8mm Fl. hv. 316 | 1,61 | | • |
| 3-96480 | Rf 30x8mm Fl. hv. 316 | 1,93 | | • |
| 3-96484 | Rf 40x8mm Fl. hv. 316 | 2,58 | | • |
| 3-96488 | Rf 50x8mm Fl. hv. 316 | 3,22 | | • |
| 3-96494 | Rf 80x8mm Fl. hv. 316 | 5,16 | | • |
| 3-96578 | Rf 70x15mm Fl. hv. 316 | 9,00 | | • |
| 3-96644 | Rf 80x25mm Fl. hv. 316 | 16,10 | | • |

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

| Vörunr. | Vöruheiti | Þyngd | A | H |
|---------|---|-------------|---|---|
| | Ryðfrítt flatstál / Stainless steel flat bars | kg/m | | |
| | EN 1.4301/AISI 304, DIN 1017, slípað á 2 hliðum K-240, lgd 5 m | | | |
| 3-96666 | Rf sl 40x4mm Fl. K220 | 1,28 | | • |
| 3-96667 | Rf sl 20x5mm Fl. K220 | 0,80 | | • |
| 3-96670 | Rf sl 40x5mm Fl. K220 | 1,61 | | • |
| 3-96671 | Rf sl 50x5mm Fl. K220 | 2,02 | | • |
| 3-96674 | Rf sl 25x6mm Fl. K220 | 1,21 | | • |
| 3-96675 | Rf sl 30x6mm Fl. K220 | 1,45 | | • |
| 3-96676 | Rf sl 40x6mm Fl. K220 | 1,93 | | • |
| 3-96677 | Rf sl 50x6mm FL K220 | 2,40 | | • |
| 3-96678 | Rf sl 60x6mm Fl. K220 | 2,90 | | • |
| 3-96682 | Rf sl 20x8mm Fl. K220 | 1,29 | | • |
| 3-96685 | Rf sl 40x8mm Fl. K220 | 2,58 | | • |
| 3-96691 | Rf sl 30x10mm Fl. K220 | 2,40 | | • |
| 3-96692 | Rf sl 40x10mm Fl. K220 | 3,22 | | • |
| 3-96693 | Rf sl 50x10mm Fl. K220 | 4,03 | | • |
| 3-96700 | Rf sl 60x12mm Fl. K220 | 5,80 | | • |

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

| Vörunr. | Vöruheiti | Þyngd | A | H |
|----------|--|---------------|---|---|
| | Ryðfrítt 4kt stál / Stainless steel 4kt bars | | | |
| | EN 1.4301/AISI 304, 4-KT, kalddregið, DIN 178 | kg/stk | | |
| 3-831050 | Rf 4mm 4kt. | 0,13 | • | • |
| 3-96802 | Rf 6mm 4kt. | 0,29 | • | • |
| 3-96703 | Rf 8mm 4kt. 3 - 3,5 mL | 0,50 | • | • |
| 3-96705 | Rf 10mm 4kt. 3 - 3,5 mL | 0,79 | • | • |
| 3-96707 | Rf 12mm 4kt. 3 - 3,5 mL | 1,13 | • | • |
| 3-96709 | Rf 15mm 4kt. | 1,80 | • | • |
| 3-96713 | Rf 20mm 4kt. | 3,14 | • | • |
| 3-96717 | Rf 25mm 4kt. | 4,91 | • | • |
| 3-96719 | Rf 30mm 4kt. | 7,20 | • | • |
| 3-96725 | Rf 40mm 4kt. | 12,80 | • | • |
| 3-96727 | Rf 50mm 4kt. | 19,60 | • | |
| 3-96729 | Rf 60mm 4kt. | 28,28 | • | |
| 3-831056 | Rf 8mm 4-kantstál 316ti/4571 | 0,50 | • | |
| | Ryðfrítt 6kt stál / Stainless steel 6kt bars | | | |
| | EN 1.4404/AISI 316L,(Ugima), glóð., kalldr. h11, DIN 176, lgd 3 m | | | |
| 3-16768 | Rf 8mm 6kt. 316. | 0,45 | | • |
| 3-16770 | Rf 10mm 6kt. 316. | 0,69 | | • |
| 3-96776 | Rf 17mm 6kt. 316. | 1,96 | | • |
| 3-96778 | Rf 19mm 6kt. 316. | 2,45 | | • |
| 3-96780 | Rf 22mm 6kt. 316. | 3,29 | | • |
| 3-96782 | Rf 24mm 6kt. 316. | 3,92 | | • |
| 3-96784 | Rf 27mm 6kt. 316. | 4,96 | | • |
| 3-96786 | Rf 30mm 6kt. 316. | 6,12 | | • |
| 3-96788 | Rf 32mm 6kt. 316. | 6,96 | | • |
| 3-96790 | Rf 36mm 6kt. 316. | 8,81 | | • |
| 3-96944 | Rf 38mm 6kt. 316. | 9,82 | | • |
| 3-96792 | Rf 41mm 6kt. 316. | 11,43 | | • |
| 3-96794 | Rf 46mm 6kt. 316. | 14,39 | | • |
| 3-96796 | Rf 50mm 6kt. 316. | 17,01 | | • |
| 3-96798 | Rf 55mm 6kt. 316. | 20,57 | | • |

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði