

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðubeygja / Stainless steel, elbow</b>	<b>kg/stk</b>		
	<b>EN 1.4306/AISI 304L, 90° DIN 2605 norm 3d (R=1,5xD) N112</b>			
3-20047	Rf 20,0x1,5mm Suðu-Beygjur	0,03	•	•
3-20061	Rf 25,0x2,0mm Suðu-Beygjur	0,05	•	•
3-20071	Rf 30,0x2,0mm Suðu-Beygjur	0,07	•	•
3-20077	Rf 33,7x2,0mm Suðu-Beygjur	0,00		•
3-20087	Rf 38,0x2,0mm Suðu-Beygjur	0,13	•	•
3-20089	Rf 40,0x2,0mm Suðu-Beygjur	0,20	•	•
3-20107	Rf 51,0x2,0mm Suðu-Beygjur	0,31	•	•
3-20111	Rf 54,0x2,0mm Suðu-Beygjur	0,34	•	•
3-20123	Rf 60,3x3,6mm Suðu-Beygjur	0,61		•
3-20131	Rf 70,0x2,0mm Suðu-Beygjur	0,00		•
3-20143	Rf 84,0x2,0mm Suðu-Beygjur	0,75	•	•
3-20157	Rf 104,0x2,0mm Suðu-Beygjur	1,20	•	•
3-20173	Rf 129,0x2,0mm Suðu-Beygjur	1,90		•
3-14026	Rf 154,0x2,0mm Suðu-Beygjur	2,75	•	•
3-14028	Rf 204,0x2,0mm Suðu-Beygjur	4,75	•	•
3-20275	Rf 254,0x2,0mm Suðu-Beygjur	7,00		•
3-20285	Rf 306,0x3,0mm Suðu-Beygjur	14,00		•
3-20295	Rf 406,0x3,0mm Suðu-Beygjur	24,00		•
	<b>Suðubeygja / Stainless steel, elbow</b>			
	<b>EN 1.4435/AISI 316L, 90° DIN 2605 norm 3d (R=1,5xD) N113</b>			
3-20042	Rf 17,2x1,6mm Suðu-Beygja 316	0,04	•	•
3-20050	Rf 20,0x2,0mm Suðu-Beygja 316	0,04		•
3-20054	Rf 21,3x2,0mm Suðu-Beygja 316	0,04	•	•
3-20056	Rf 21,3x2,6mm Suðu-Beygja 316	0,06	•	•
3-20066	Rf 26,9x2,0mm Suðu-Beygja 316	0,06	•	•
3-20068	Rf 26,9x2,6mm Suðu-Beygja 316	0,08	•	•
3-20078	Rf 33,7x2,0mm Suðu-Beygja 316	0,10	•	•
3-20080	Rf 33,7x3,2mm Suðu-Beygja 316	0,14	•	•
3-20090	Rf 40,0x2,0mm Suðu-Beygja 316	0,15	•	•
3-20094	Rf 42,4x2,0mm Suðu-Beygja 316	0,16	•	•
3-20096	Rf 42,4x3,2mm Suðu-Beygja 316	0,23	•	•
3-20098	Rf 44,5x2,0mm Suðu-Beygja 316	0,17		•
3-20102	Rf 48,3x2,0mm Suðu-Beygja 316	0,22	•	•
3-20104	Rf 48,3x3,2mm Suðu-Beygja 316	0,32	•	•
3-20112	Rf 54,0x2,0mm Suðu-Beygja 316	0,34	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðubeygja / Stainless steel, elbow</b>	<b>kg/stk</b>		
	<b>EN 1.4435/AISI 316L, 90° DIN 2605 norm 3d (R=1,5xD), N113</b>			
3-20042	Rf 17,2x1,6mm Suðu-Beygja 316	0,04	•	•
3-20050	Rf 20,0x2,0mm Suðu-Beygja 316	0,04		•
3-20054	Rf 21,3x2,0mm Suðu-Beygja 316	0,04	•	•
3-20056	Rf 21,3x2,6mm Suðu-Beygja 316	0,06	•	•
3-20066	Rf 26,9x2,0mm Suðu-Beygja 316	0,06	•	•
3-20068	Rf 26,9x2,6mm Suðu-Beygja 316	0,08	•	•
3-20078	Rf 33,7x2,0mm Suðu-Beygja 316	0,10	•	•
3-20080	Rf 33,7x3,2mm Suðu-Beygja 316	0,14	•	•
3-20090	Rf 40,0x2,0mm Suðu-Beygja 316	0,15	•	•
3-20094	Rf 42,4x2,0mm Suðu-Beygja 316	0,16	•	•
3-20096	Rf 42,4x3,2mm Suðu-Beygja 316	0,23	•	•
3-20098	Rf 44,5x2,0mm Suðu-Beygja 316	0,17		•
3-20102	Rf 48,3x2,0mm Suðu-Beygja 316	0,22	•	•
3-20104	Rf 48,3x3,2mm Suðu-Beygja 316	0,32	•	•
3-20112	Rf 54,0x2,0mm Suðu-Beygja 316	0,34	•	•
3-20120	Rf 60,3x2,0mm Suðu-Beygja 316	0,40	•	•
3-20136	Rf 76,1x2,0mm Suðu-Beygja 316	0,62	•	•
3-20142	Rf 76,1x3,6mm Suðu-Beygja 316	1,08		•
3-20144	Rf 84,0x2,0mm Suðu-Beygja 316	0,75	•	•
3-20148	Rf 88,9x2,0mm Suðu-Beygja 316	0,81	•	•
3-20154	Rf 88,9x4,0mm Suðu-Beygja 316	1,65		•
3-20158	Rf 104,0x2,0mm Suðu-Beygja 316	1,20	•	•
3-20168	Rf 114,3x2,0mm Suðu-Beygja 316	1,30	•	•
3-20174	Rf 129,0x2,0mm Suðu-Beygja 316	1,90	•	•
3-14035	Rf 139,7x2,0mm Suðu-Beygja 316	2,07	•	•
3-14037	Rf 168,3x2,0mm Suðu-Beygja 316	3,00	•	•
3-20190	Rf 154,0x2,0mm Suðu-Beygja 316	2,75	•	•
3-20202	Rf 168,3x3,0mm Suðu-Beygja 316	4,50		•
3-14029	Rf 204,0x2,0mm Suðu-Beygja 316	4,75	•	•
3-14039	Rf 219,1x2,0mm Suðu-Beygja 316	5,20	•	•
3-20214	Rf 219,1x3,0mm Suðu-Beygja 316	7,80		•
3-20276	Rf 254,0x2,0mm Suðu Beygja 316 D+100 316	7,00		•
3-20222	Rf 273,0x3,0mm Suðu-Beygja 316	12,00		•
3-20292	Rf 356,0x3,0mm Suðu Beygja 316 D+100 316	19,00		•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðubeygja / Stainless steel, elbow</b>	<b>kg/stk</b>		
	EN 1.4435/AISI 316L. 90° eftir DIN 2605 norm 3d (R=1.5xD).N111, heildregin			
3-20000	Rf 13,5x2,3mm Hd. Beygjur 316L	0,02		•
3-20002	Rf 17,2x1,6mm Hd. Beygjur 316L	0,00		•
3-20003	Rf 17,2x2,3mm Hd. Beygjur 316L	0,04		•
3-20009	Rf 25,0x1,5mm Hd. Beygjur 316L	0,00		•
3-20022	Rf 42,4x3,2mm Hd. Beygjur 316L	0,32		•
3-20026	Rf 48,3x3,2mm Hd. Beygjur 316L	0,32		•
3-20032	Rf 60,3x3,6mm Hd. Beygjur 316L	0,62	•	•
	<b>Suðuté / Stainless steel, tee</b>			
	EN 1.4404/AISI 316L (SS 2343), ISO, N127, uppdregin			
3-20407	Rf 13,5x1,6mm Té-uppdr. 316	0,03		•
3-21039	Rf 17,2x1,6mm Té-uppdr. 316	0,01	•	•
3-21040	Rf 17,2x2,3mm Té-uppdr. 316	0,08		•
3-21041	Rf 21,3x1,6mm Té-uppdr. 316	0,15	•	•
3-21042	Rf 21,3x2,6mm Té-uppdr. 316	0,16	•	•
3-21043	Rf 26,9x2,0mm Té-uppdr. 316	0,00	•	•
3-21044	Rf 26,9x2,6mm Té-uppdr. 316	0,20		•
3-21045	Rf 33,7x2,0mm Té-uppdr. 316	0,25	•	•
3-21046	Rf 33,7x2,6mm Té-uppdr. 316.	0,30		•
3-21000	Rf 38,0x2,0mm Té-uppdr. 316	0,15		•
3-21022	Rf 38,0x2,0mm Té-pessuð. 316	0,00		•
3-21047	Rf 42,4x2,0mm Té-uppdr. 316	0,18	•	•
3-21048	Rf 42,4x2,6mm Té-uppdr. 316	0,28		•
3-21049	Rf 48,3x2,0mm Té-uppdr. 316	0,49	•	•
3-21050	Rf 48,3x2,6mm Té-uppdr. 316	0,62		•
3-21001	Rf 54,0x2,0mm Té-uppdr. 316	0,22	•	•
3-21051	Rf 60,3x2,0mm Té-uppdr. 316	0,67	•	•
3-21053	Rf 76,1x2,0mm Té-uppdr. 316	0,97	•	•
3-21054	Rf 76,1x3,6mm Té-uppdr. 316	1,20		•
3-21002	Rf 84,0x2,0mm Té-uppdr. 316	0,57	•	•
3-21055	Rf 88,9x2,0mm Té-uppdr. 316	1,24	•	•
3-21003	Rf 104,0x2,0mm Té-uppdr. 316	0,90	•	•
3-21057	Rf 114,3x2,0mm Té-uppdr. 316	1,68	•	•
3-21005	Rf 129,0x2,0mm Té-uppdr. 316	1,39	•	•
3-21060	Rf 139,7x3,0mm Té-uppdr. 316	3,33		•
3-21007	Rf 154,0x2,0mm Té-uppdr. 316	2,00	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuté / Stainless steel, tee</b>	<b>kg/stk</b>		
	<b>EN 1.4404/AISI 316L (SS 2343), ISO, N127, uppdragin</b>			
3-21062	Rf 168,3x3,0mm Té-uppdr. 316	4,43	•	•
3-21009	Rf 204,0x2,0mm Té-uppdr. 316	4,52		•
3-21064	Rf 219,1x3,0mm Té-uppdr. 316	9,57		•
3-21012	Rf 254,0x2,0mm Té-uppdr. 316	7,09		•
	<b>Suðuminnkun / Stainless steel, reduction</b>			
	<b>EN 4404/AISI 316L, sammiðja, ISO, N124</b>			
3-20900	Rf 26,9x17,2x2. Minnkunn 316	0,05	•	•
3-20901	Rf 26,9x21,3x2. Minnkunn 316	0,02	•	•
3-20902	Rf 33,7x17,2x2. Minnkunn 316	0,05	•	•
3-20903	Rf 33,7x21,3x2. Minnkunn 316	0,05	•	•
3-20904	Rf 33,7x26,9x2. Minnkunn 316	0,03	•	•
3-20905	Rf 42,4x21,3x2. Minnkunn 316	0,07	•	•
3-20906	Rf 42,4x26,9x2. Minnkunn 316	0,08	•	•
3-20907	Rf 42,4x33,7x2. Minnkunn 316	0,05	•	•
3-20908	Rf 48,3x21,3x2. Minnkunn 316	0,08		•
3-20909	Rf 48,3x26,9x2.0. Minnkunn 316	0,09	•	•
3-20910	Rf 48,3x33,7x2. Minnkunn 316	0,00	•	•
3-20911	Rf 48,3x42,4x2. Minnkunn 316	0,04	•	•
3-20912	Rf 60,3x26,9x2. Minnkunn 316	0,22	•	•
3-20913	Rf 60,3x33,7x2. Minnkunn 316	0,18	•	•
3-20914	Rf 60,3x42,4x2. Minnkunn 316	0,14	•	•
3-20915	Rf 60,3x48,3x2. Minnkunn 316	0,10	•	•
3-20916	Rf 76,1x33,7x2. Minnkunn 316	0,36		•
3-20917	Rf 76,1x42,4x2. Minnkunn 316	0,25	•	•
3-20918	Rf 76,1x48,3x2. Minnkunn 316	0,26		•
3-20920	Rf 76,1x60,3x2. Minnkunn 316	0,16	•	•
3-20922	Rf 88,9x42,4x2. Minnkunn 316	0,46		•
3-20923	Rf 88,9x48,3x2. Minnkunn 316	0,30		•
3-20924	Rf 88,9x60,3x2. Minnkunn 316	0,32	•	•
3-20926	Rf 88,9x76,1x2. Minnkunn 316	0,16	•	•
3-20928	Rf 114,3x60,3x2. Minnkunn 316	0,57	•	•
3-20929	Rf 114,3x76,1x2. Minnkunn 316	0,62	•	•
3-20931	Rf 114,3x88,9x2. Minnkunn 316	0,39	•	•
3-20934	Rf 139,7x88,9x3. Minnkunn 316	1,30		•
3-20935	Rf 139,7x114,3x3. Minnkunn 316	0,73		•
3-20936	Rf 168,3x88,9x3. Minnkunn 316	0,00		•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuminnkun / Stainless steel, reduction</b>	<b>kg/stk</b>		
	<b>EN 4404/AISI 316L, sammiðja, ISO, N124</b>			
3-20937	Rf 168,3x114,3x3. Minnkun 316	1,70	•	•
3-20938	Rf 168,3x139,7x3. Minnkun 316	1,00	•	•
3-20939	Rf 219,1x139,7x3. Minnkun 316	0,00		•
3-20940	Rf 219,1x168,3x3. Minnkun 316	0,00	•	•
3-20941	Rf 273,0x168,3x3. Minnkun 316	5,20		•
	<b>Suðuminnkun / Stainless steel, reduction</b>			
	<b>EN 4404/AISI 316L, sammiðja, DIN, N125</b>			
3-20960	Rf 44,0x29,0x2. Minnkunn 316	0,10		•
3-20965	Rf 54,0x36,0x2. Minnkunn 316	0,16		•
3-20967	Rf 69,0x44,0x2. Minnkunn 316	0,16		•
3-20969	Rf 84,0x44,0x2. Minnkunn 316	0,04		•
3-20970	Rf 84,0x54,0x2. Minnkunn 316	0,30	•	•
3-20971	Rf 84,0x69,0x2. Minnkunn 316	0,00		•
3-20972	Rf 104,0x54,0x2. Minnkunn 316	0,57		•
3-20974	Rf 104,0x84,0x2. Minnkunn 316	0,26		•
3-20976	Rf 129,0x84,0x2. Minnkunn 316	0,70	•	•
3-20977	Rf 129,0x104,0x2. Minnkun 316	0,43	•	•
3-20979	Rf 154,0x84,0x2. Minnkunn 316	1,67	•	•
3-20980	Rf 154,0x104,0x2. Minnkun 316	1,28	•	•
3-20981	Rf 154,0x129,0x2. Minnkun 316	0,50	•	•
3-20982	Rf 204,0x104,0x2. Minnkun 316	3,10	•	•
3-20983	Rf 204,0x129,0x2. Minnkun 316	2,90		•
3-20984	Rf 204,0x154,0x2. Minnkun 316	1,65	•	•
3-20986	Rf 254,0x154,0x2. Minnkun 316	1,60	•	•
3-20987	Rf 254,0x204,0x2. Minnkun 316	1,70	•	•
3-20989	Rf 306,0x206,0x3. Minnkun 316	5,70	•	•
3-20991	Rf 306,0x256,0x3. Minnkun 316	3,20		•
	<b>Rörobotn / Satianless steel, end cap</b>			
	<b>AISI 316L, DIN 28011</b>			
3-18260	Rf 33,7x2,0mm Rörobotnar 316	0,03		•
3-18261	Rf 48,3x2,0mm Rörobotnar 316	0,06		•
3-18262	Rf 60,3x2,0mm Rörobotnar 316	0,08		•
3-18263	Rf 76,1x2,0mm Rörobotnar 316	0,13		•
3-18251	Rf 84,0x2,0mm Rörobotnar 316	0,14		•
3-18264	Rf 88,9x2,0mm Rörobotnar 316	0,18		•
3-18252	Rf 104,0x2,0mm Rörobotnar 316	0,23	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Rörabotn / Satianless steel, end cap</b>	<b>kg/stk</b>		
	<b>AISI 316L, DIN 28011</b>			
3-18253	Rf 129,0x2,0mm Rörabotnar 316	0,32		•
3-18266	Rf 139,7x2,0mm Rörabotnar 316	0,35		•
3-18254	Rf 154,0x2,0mm Rörabotnar 316	0,45	•	•
3-18267	Rf 168,3x2,0mm Rörabotnar 316	0,55		•
3-18255	Rf 204,0x2,0mm Rörabotnar 316	0,72	•	•
3-18268	Rf 219,1x2,0mm Rörabotnar 316	0,93		•
3-18256	Rf 256,0x3,0mm Rörabotnar 316	2,30		•
3-18257	Rf 306,0x3,0mm Rörabotnar 316	2,70		•
3-18259	Rf 406,0x3,0mm Rörabotnar 316	4,70		•
3-812069	Rf 908,0x4,0mm Rörabotnar 316	32,00		•
	<b>Rörabotn / Satianless steel, End caps</b>			
	<b>AISI 316, kúptur, þunnveggja</b>			
3-920010	Rf Botnar Kúptir 25mm (3/4")	0,01	•	•
3-920015	Rf Botnar Kúptir 31mm (1")	0,01	•	•
3-920020	Rf Botnar Kúptir 38mm	0,02	•	•
3-920025	Rf Botnar Kúptir 40mm (1 1/4")	0,02	•	•
3-920030	Rf Botnar Kúptir 42mm	0,02	•	•
3-920035	Rf Botnar Kúptir 45mm (1 1/2")	0,03	•	•
3-920040	Rf Botnar Kúptir 50mm	0,03	•	•
3-920045	Rf Botnar Kúptir 57mm (2")	0,04	•	•
3-920050	Rf Botnar Kúptir 75mm (2 1/2")	0,07	•	•
3-920055	Rf Botnar Kúptir 85mm (3")	0,09	•	•
3-920060	Rf Botnar Kúptir 100mm	0,12	•	•
3-920065	Rf Botnar Kúptir 112mm (4")	0,12	•	•
	<b>Rörabotn, sléttur</b>			
	<b>AISI 304</b>			
3-930170	RF BOTNAR SLÉTTIR 38MM	0,20	•	
3-930171	RF BOTNAR SLÉTTIR 40MM	0,20	•	
	<b>Suðufangs / Stainless steel, welding neck flange</b>			
	<b>EN 1.4404/AISI 316L, NT16, DIN 2633, ISO, N123, m.kraga</b>			
3-20647	Rf 15/21.3 Flangs m/kraga ISO	0,58	•	•
3-20648	Rf 20/26.9 Flangs m/kraga ISO	0,65	•	•
3-20650	Rf 25/33.7 Flangs m/kraga ISO	0,95	•	•
3-20651	Rf 32/42.4 Flangs m/kraga ISO	1,14	•	•
3-20652	Rf 40/48.3 Flangs m/kraga ISO	1,86	•	•
3-20653	Rf 50/60.3 Flangs m/kraga ISO	2,53	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuflangs / Stainless steel, welding neck flange</b>	<b>kg/stk</b>		
	<b>EN 1.4404/AISI 316L, NT16, DIN 2633, ISO, N123, m.kraga</b>			
3-20654	Rf 65/76.1 Flangs m/kraga ISO	0,00	•	•
3-20655	Rf 80/88.9 Flangs m/kraga ISO	3,70	•	•
3-20656	Rf 100/114.3 Flangs m/kraga ISO	4,62	•	•
3-20657	Rf 125/139,7 Flangs m/kraga ISO	6,30	•	•
3-20658	Rf 150/168.3 Flangs m/kraga ISO	7,75	•	•
3-20659	Rf 200/219.1 Flangs m/kraga ISO	11,00	•	•
3-812071	Rf 250/273,0 Flangs m/kraga ISO	15,60		•
3-29536	Rf 400/406,4, Flangs m/kraga PN10	28,60		•
	<b>Suðuflangs / Stainless steel, welding neck flange</b>			
	<b>EN 1.4404/AISI 316L, NT10, DIN 2642, fyrir DIN rör, N119</b>			
3-16720	Rf 50/54mm Ryðfr.flangsar 316L	2,20		•
	<b>Ál lausflangs / Aluminium flange</b>			
	<b>NT10, DIN 2642, ISO, N118</b>			
3-32222	Rf 25/33,7mm Ál-Lausflangs ISO	0,28	•	•
3-32223	Rf 32/42,4mm Ál-Lausflangs ISO	0,55	•	•
3-32224	Rf 40/48,3mm Ál-Lausflangs ISO	0,58	•	•
3-32225	Rf 50/60,3mm Ál-Lausflangs ISO	0,73	•	•
3-32226	Rf 65/76,1mm Ál-Lausflangs ISO	0,82	•	•
3-32227	Rf 80/88,9mm Ál-Lausflangs ISO	1,17	•	•
3-32228	Rf 100/114,3mm Ál-Lausflangs ISO	1,22	•	•
3-32229	Rf 125/139,7mm Ál-Lausflangs ISO	1,47	•	•
3-32230	Rf 150/168,3mm Ál-Lausflangs ISO	1,88	•	•
3-32231	Rf 200/219,1mm Ál-Lausflangs ISO	2,75	•	•
3-32232	Rf 250/273,0mm Ál-Lausfl.angsISO	3,72	•	•
	<b>Ál lausflangs / Aluminium flange</b>			
	<b>NT10, DIN 2642, DIN, N118</b>			
3-32205	Rf 50/54,0mm Ál-Lausflangs DIN	0,73	•	•
3-32207	Rf 80/84,0mm Ál-Lausflangs DIN	1,17	•	•
3-32208	Rf 100/104mm Ál-Lausflangs DIN	1,22	•	•
3-32209	Rf 125/129mm Ál-Lausflangs DIN	1,47	•	•
3-32210	Rf 150/154mm Ál-Lausflangs DIN	1,88	•	•
3-32211	Rf 200/204mm Ál-Lausflangs DIN	2,75	•	•
3-32212	Rf 250/254mm Ál-Lausflangs DIN	3,72	•	•
3-32213	Rf 300/304mm Ál-Lausflangs DIN	4,23	•	•
3-32214	Rf 350/355,6mm Ál-Lausflangs DIN	4,74	•	•
3-32215	Rf 400/406,4mm Ál-Lausflangs DIN	6,18	•	•
3-32217	Rf 500/508,0mm Ál-Lausflangs DIN	9,47		•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðukragi / Stainless steel, welding flange</b>	<b>kg/stk</b>		
	<b>EN 1.4435/AISI 316L, NT10, ISO, N117</b>			
3-20883	Rf 25/33.7 S-Kragar. 316 ISO	0,08	•	•
3-20884	Rf 32/42.4 S-Kragar. 316 ISO	0,10	•	•
3-20885	Rf 40/48.3 S-Kragar. 316 ISO	0,13	•	•
3-20886	Rf 50/60.3 S-Kragar. 316 ISO	0,17	•	•
3-20887	Rf 65/76.1 S-Kragar. 316 ISO	0,24	•	•
3-20888	Rf 80/88.9 S-Kragar. 316 ISO	0,30	•	•
3-20889	Rf 100/114.3 S-Kragar 316 ISO	0,37	•	•
3-20890	Rf 125/139,7 S-Kragar 316 ISO	0,48	•	•
3-20891	Rf 150/168.3 S-Kragar 316 ISO	0,57	•	•
3-20892	Rf 200/219.1 S-Kragar 316 ISO	0,00	•	•
3-20893	Rf 250/273.0 S-Kragar 316 ISO	0,86	•	•
	<b>Suðukragi / Stainless steel, welding flange</b>			
	<b>EN 1.4435/AISI 316L, NT10, ISO, N117</b>			
3-20853	Rf 50/56.0 S-Kragar. 316. DIN	0,18	•	•
3-20859	Rf 80/86.0 S-Kragar. 316. DIN	0,29	•	•
3-20861	Rf 100/106.0 S-Kragar. 316 DIN	0,39	•	•
3-20863	Rf 125/131.0 S-Kragar. 316 DIN	0,50	•	•
3-20865	Rf 150/156.0 S-Kragar. 316 DIN	0,60	•	•
3-20867	Rf 200/206.0 S-Kragar. 316 DIN	0,86	•	•
3-20869	Rf 250/256.0 S-Kragar. 316 DIN	1,07	•	•
3-20871	Rf 300/306.0 S-Kragar. 316 DIN	1,29	•	•
3-20873	Rf 350/356.0 S-Kragar. 316 DIN	1,71	•	•
3-20875	Rf 400/406.0 S-Kragar. 316 DIN	1,84	•	•
	<b>Rörabaula, úr flatjárni</b>			
	<b>AISI 304</b>			
3-930100	Rf 17,2mm Rörabaulur 3/8"	0,20	•	•
3-930101	Rf 21,3mm Rörabaulur 1/2"	0,20	•	•
3-930102	Rf 26,9mm Rörabaulur 3/4"	0,30	•	•
3-930103	Rf 33,7mm Rörabaulur 1"	0,35	•	•
3-930104	Rf 42,4mm Rörabaulur 1 1/4"	0,40	•	•
3-930105	Rf 48,3mm Rörabaulur 1 1/2"	0,40	•	•
3-930106	Rf 60,3mm Rörabaulur 2"	0,40	•	•
3-930107	Rf 76,1mm Rörabaulur 2 1/2"	0,45	•	•
3-930108	Rf 88,9mm Rörabaulur 3"	0,45	•	•
3-930109	Rf 114,3mm Rörabaulur 4"	0,50	•	•
3-930110	Rf 139,7mm Rörabaulur 5"	0,50	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Rörabaula, úr flatjárni</b>	<b>kg/stk</b>		
	<b>AISI 304</b>			
3-930111	Rf 168,3mm Rörabaulur 6"	0,50	•	•
3-930112	Rf 219,1mm Rörabaulur 8"	0,10	•	•
3-930130	Rf 54,00mm Rörabaulur	0,40	•	
3-930129	Rf 48,00mm Rörabaulur	0,40	•	
3-930125	Rf 22,00mm Rörabaulur	0,40	•	
3-930142	Rf 204,00mm Rörabaulur	0,50	•	
3-930141	Rf 154,00mm Rörabaulur	0,50	•	
3-930131	Rf 60,00mm Rörabaulur	0,40	•	
3-930134	Rf 89,00mm Rörabaulur	0,40	•	
3-930133	Rf 84,00mm Rörabaulur	0,40	•	
3-930136	Rf 129,00mm Rörabaulur	0,50	•	
3-930135	Rf 104,00mm Rörabaulur	0,50	•	
	<b>Rörafesting með suðukafti</b>			
	<b>EN 1.4301/AISI 304, ISO</b>			
3-20311	Rf 13,5mm Rörafesting 1/4" m/skafti	0,11		•
3-20312	Rf 17,2mm Rörafesting 3/8" m/skafti	0,17		•
3-20313	Rf 21,3mm Rörafesting 1/2" m/skafti	0,20		•
3-20314	Rf 26,9mm Rörafesting 3/4" m/skafti	0,20		•
3-20315	Rf 33,7mm Rörafesting 1" m/skafti	0,22		•
3-20316	Rf 42,4mm Rörafesting 1 1/4" m/skafti	0,23		•
3-20317	Rf 48,3mm Rörafesting 1 1/2" m/skafti	0,25		•
3-20318	Rf 60,3mm Rörafesting 2" m/skafti	0,26		•
3-20319	Rf 76,1mm Rörafesting 2 1/2" m/skafti	0,28		•
3-20320	Rf 88,9mm Rörafesting 3" m/skafti	0,30		•
3-20321	Rf 114,3mm Rörafesting 4" m/skafti	0,37		•
3-20322	Rf 139,7mm Rörafesting 5" m/skafti	0,51		•
3-20323	Rf 168,3mm Rörafesting 6" m/skafti	0,59		•
	<b>Rörafesting með suðukafti</b>			
	<b>EN 1.4301/AISI 304, DIN</b>			
3-20338	Rf 106mm Rörafesting m/skafti	0,35		•
3-20339	Rf 131mm Rörafesting m/skafti	0,50		•
3-20340	Rf 156mm Rörafesting m/skafti	0,59		•
3-20341	Rf 206mm Rörafesting m/skafti	0,71		•
3-20342	Rf 256mm Rörafesting m/skafti	0,86		•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Rörafesting í setti</b>	<b>kg/stk</b>		
	<b>EN 1.4301/AISI 304, DIN, N114</b>			
3-20351	Rf 65/ 76,1mm Rörafesting í setti	0,27		•
3-20365	Rf 50/ 54,0mm Rörafesting í setti	0,26		•
3-20368	Rf 80/ 84,0mm Rörafesting í setti	0,30		•
3-20370	Rf 125/131,0mm Rörafesting í setti	0,50		•
3-20372	Rf 200/206,0mm Rörafesting í setti	0,71		•
3-20373	Rf 250/256,0mm Rörafesting í setti	0,86		•
3-20374	Rf 300/306,0mm Rörafesting í setti	1,10		•
3-20375	Rf 350/356,0mm Rörafesting í setti	1,30		•
	<b>Söðull / Stainless steel, Saddle</b>			
	<b>AISI 304</b>			
3-812174	Rf 306,0x3,0mm Söðull AISI 304	10,66	•	
	<b>Renndur tappi í rör</b>			
	<b>AISI 304</b>			
3-812120	Rf 20,0mm Tappar renndir-kúptir	0,00		•
3-812124	Rf 20,0mm Tappar renndir-flatir	0,00		•
3-812125	Rf 25,0mm Tappar renndir-kúptir	0,02		•
3-812126	Rf 25,0mm Tappar renndir-flatir	0,02		•
3-812130	Rf 30,0mm Tappar renndir-kúptir	0,02		•
3-812131	Rf 30,0mm Tappar renndir-flatir	0,02		•
3-812140	Rf 40,0mm Tappar renndir-kúptir	0,03		•
3-812145	Rf 40,0mm Tappar renndir-flatir	0,03		•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði