

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðumúffa / Pipe thread</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>S235 samkv. DIN 1629, Withworth gengjur, framl. samkv, DIN 2458</b>			
2-368212	MÚFFA F. 17,2mm - 3/8"	0,03	•	•
2-368213	MÚFFA F. 21,3mm - 1/2"	0,06	•	•
2-368269	MÚFFA F. 26,9mm - 3/4"	0,08	•	•
2-368337	MÚFFA F. 33,7mm - 1"	0,15	•	•
2-368424	MÚFFA F. 42,4mm - 1 1/4"	0,21	•	•
2-368483	MÚFFA F. 48,3mm - 1 1/2"	0,24	•	•
2-368603	MÚFFA F. 60,3mm - 2"	0,32	•	•
2-368761	MÚFFA F. 76,1mm - 2 1/2"	0,53	•	•
2-368889	MÚFFA F. 88,9mm - 3"	0,68	•	•
2-368914	MÚFFA F. 114,3mm -4"	1,16	•	•
2-368939	MÚFFA F. 139,7mm -5"	1,53	•	•
2-368968	MÚFFA F. 168,3mm -6"	2,18	•	•
	<b>Suðuflangs með háls / Welding neck flange</b>			
	<b>Svart / Black</b>			
	<b>DIN 2633 PN 16, S235 JRG2/EN10025, DIN17100</b>			
2-369015	FLANGS 21,3mm 16 BAR./M KRAGA	0,64	•	•
2-369020	FLANGS 26,9mm 16 BAR./M KRAGA	0,95	•	•
2-369025	FLANGS 33,7mm 16 BAR./M KRAGA	1,14	•	•
2-369032	FLANGS 42,4mm 16 BAR./M KRAGA	1,69	•	•
2-369040	FLANGS 48,3mm 16 BAR./M KRAGA	1,86	•	•
2-369050	FLANGS 60,3mm 16 BAR./M KRAGA	2,53	•	•
2-369065	FLANGS 76,1mm 16 BAR./M KRAGA	3,06	•	•
2-369066	FLANGS 76,1mm 6/10 BAR.M/KRAGA	1,67		•
2-369080	FLANGS 88,9mm 16 BAR./M KRAGA	3,70	•	•
2-369100	FLANGS 114,3mm 16 BAR./M KRAGA	4,62	•	•
2-369125	FLANGS 139,7mm 16 BAR./M KRAGA	6,30	•	•
2-369150	FLANGS 168,3mm 16 BAR./M KRAGA	7,75	•	•
2-369160	FLANGS 219,1mm 16 BAR./M.KRAGA	11,60	•	•
2-369162	FLANGS 219,1mm 25 BAR./M.KRAGA	17,00	•	•
2-369170	FLANGS 273,0mm 16 BAR./M.KRAGA	15,60	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Ásmeygður flangs / Flange</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>DIN 2576 PN 10, S235 JRG2/EN10025, DIN17100</b>			
2-369180	ÁSMEYGÐUR FLANGS 48,3mm 1 1/2"	1,85	•	•
2-369181	ÁSMEYGÐUR FLANGS 60,3mm - "2	2,47	•	•
2-369182	ÁSMEYGÐUR FLANGS 76,1mm 2 1/2"	3,00	•	•
2-369183	ÁSMEYGÐUR FLANGS 88,9mm - 3"	3,79	•	•
2-369184	ÁSMEYGÐUR FLANGS 114,3mm - 4"	4,03	•	•
2-369185	ÁSMEYGÐUR FLANGS 139,7mm - 5"	5,46	•	•
2-369186	ÁSMEYGÐUR FLANGS 168,3mm - 6"	6,57	•	•
2-369188	ÁSMEYGÐUR FLANGS 219,1mm - 8"	9,00	•	•
	<b>Blindflangs / Blind flange</b>			
	<b>Svart / Black</b>			
	<b>DIN 2527, PN 16, S235 JRG2</b>			
2-369193	BLIND FLANGS 21,3mm - 1/2"	0,70	•	•
2-369194	BLIND FLANGS 26,9mm - 3/4"	1,00	•	•
2-369195	BLIND FLANGS 33,7mm - 1"	1,20	•	•
2-369196	BLIND FLANGS 42,4mm - 1 1/4"	1,80	•	•
2-369197	BLIND FLANGS 48,3mm - 1 1/2"	2,10	•	•
2-369198	BLIND FLANGS 60,3mm - 2"	2,40	•	•
2-369199	BLIND FLANGS 76,1mm - 2 1/2"	3,70	•	•
2-369200	BLIND FLANGS 88,9mm - 3"	4,80	•	•
2-369202	BLIND FLANGS 114,3mm - 4"	5,70	•	•
2-369203	BLIND FLANGS 139,7mm - 5"	8,40	•	•
2-369204	BLIND FLANGS 168,3mm - 6"	10,40	•	•
2-369206	BLIND FLANGS 219,1mm - 8"	16,10	•	•
2-369208	BLIND FLANGS 273,0mm - 10"	25,00	•	•
	<b>Þakking fyrir suðufangs</b>			
2-369210	ÞAKKNING 21,3mm - 1/2"		•	•
2-369212	ÞAKKNING 26,9mm - 3/4"		•	•
2-369214	ÞAKKNING 33,7mm - 1"		•	•
2-369216	ÞAKKNING 42,4mm - 1 1/4"		•	•
2-369218	ÞAKKNING 48,3mm - 1 1/2"		•	•
2-369220	ÞAKKNING 60,3mm - 2"		•	•
2-369222	ÞAKKNING 76,1mm - 2 1/2"		•	•
2-369224	ÞAKKNING 88,9mm - 3"		•	•
2-369226	ÞAKKNING 114,3mm 4"		•	•
2-369228	ÞAKKNING 139,7mm 5"		•	•
2-369230	ÞAKKNING 168,3mm 6"		•	•
2-369240	ÞAKKNING 219,1mm 8"		•	•
2-369250	ÞAKKNING 273,1mm 10"		•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Rörabaula, úr flatjárni</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
2-370115	RÖRSP.SETT SVART 1/2" BAULUR	0,14	•	•
2-370116	RÖRSP.SETT SVART 3/4" BAULUR	0,15	•	•
2-370117	RÖRSP.SETT SVART 1" BAULUR	0,18	•	•
2-370118	RÖRSP.SETT SVART 1 1/4" BAULUR	0,20	•	•
2-370119	RÖRSP.SETT SVART 1 1/2" BAULUR	0,22	•	•
2-370120	RÖRSP.SETT SVART 2" BAULUR	0,31	•	•
2-370121	RÖRSP.SETT SVART 2 1/2" BAULUR	0,46	•	•
2-370122	RÖRSP.SETT SVART 3" BAULUR	0,52	•	•
2-370124	RÖRSP.SETT SVART 4" BAULUR	0,84	•	•
2-370125	RÖRSP.SETT SVART 5" BAULUR	1,00	•	•
2-370125B	RÖRSP.SETT 5" BAULUR SBG	1,80		•
2-370126	RÖRSP.SETT SVART 6" BAULUR	1,12	•	•
2-370127	RÖRSP.SETT SVART 7" BAULUR	1,28	•	•
2-370128	RÖRSP.SETT SVART 8" BAULUR	1,47	•	•
	<b>Rörabaula, úr flatjárni</b>			
	<b>Heit galvaniserað / Hot galvanized</b>			
2-370136	RÖRSP.SETT GALV 1/2" BAULUR	0,14	•	•
2-370137	RÖRSP.SETT GALV 3/4" BAULUR	0,15	•	•
2-370138	RÖRSP.SETT GALV 1" BAULUR	0,18	•	•
2-370139	RÖRSP.SETT GALV 1 1/4" BAULUR	0,20	•	•
2-370140	RÖRSP.SETT GALV 1 1/2" BAULUR	0,22	•	•
2-370141	RÖRSP.SETT GALV 2" BAULUR	0,31	•	•
2-370142	RÖRSP.SETT GALV 2 1/2" BAULUR	0,46	•	•
2-370143	RÖRSP.SETT GALV 3" BAULUR	0,55	•	•
2-370145	RÖRSP.SETT GALV 4" BAULUR	0,91	•	•
2-370146	RÖRSP.SETT GALV 5" BAULUR	1,04	•	•
2-370147	RÖRSP.SETT GALV 6" BAULUR	1,18	•	•
2-370149	RÖRSP.SETT GALV 8" BAULUR	1,47	•	•

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Rörabaula, snittuð</b>	<b>kg/stk</b>		
	<b>Heitgalv. / Hot galvanized</b>			
2-370170	RÖRSP.HEITG.SNITT 3/4" 10mm	0,08	•	•
2-370171	RÖRSP.HEITG.SNITT 1" 10mm	0,09	•	•
2-370172	RÖRSP.HEITG.SNITT 1 1/4" 10mm	0,10	•	•
2-370173	RÖRSP.HEITG.SNITT 1 1/2" 10mm	0,11	•	•
2-370174	RÖRSP.HEITG.SNITT 2" 12mm	0,18	•	•
2-370175	RÖRSP.HEITG.SNITT 2 1/2" 12mm	0,29	•	•
2-370176	RÖRSP.HEITG.SNITT 3" 12mm	0,32	•	•
2-370177	RÖRSP.HEITG.SNITT 4" 16mm	0,70	•	•
2-370178	RÖRSP.HEITG.SNITT 5" 16mm	0,78	•	•
2-370179	RÖRSP.HEITG.SNITT 6" 16mm	0,88	•	•
2-370180	RÖRSP.HEITG.SNITT 10" 20mm	2,56	•	•
	<b>Rörabaula, snittuð</b>			
	<b>Rafgalv. / Electro galvanized</b>			
2-370223	RÖRSP.RAFG.SNITT 1/2" 10mm	0,07	•	•
2-370224	RÖRSP.RAFG.SNITT 3/4" 10mm	0,08	•	•
2-370225	RÖRSP.RAFG.SNITT 1" 10mm	0,09	•	•
2-370226	RÖRSP.RAFG.SNITT 1 1/4" 10mm	0,10	•	•
2-370227	RÖRSP.RAFG.SNITT 1 1/2" 10mm	0,11	•	•
2-370228	RÖRSP.RAFG.SNITT 2" 12mm	0,00	•	•
2-370229	RÖRSP.RAFG.SNITT 2 1/2" 12mm	0,29	•	•
2-370230	RÖRSP.RAFG.SNITT 3" 12mm	0,32	•	•
2-370231	RÖRSP.RAFG.SNITT 4" 16mm	0,70	•	•
2-370232	RÖRSP.RAFG.SNITT 5" 16mm	0,78	•	•
2-370233	RÖRSP.RAFG.SNITT 6" 16mm	0,88	•	•
	<b>Söðull / Saddle</b>			
	<b>Svart / Black</b>			
	<b>DIN 2618, 35,8 samkvæmt DIN 17175</b>			
2-370733	SÖÐULL 33,7X4,0mm	0,13		•
2-370742	SÖÐULL 42,4X4,0mm	0,25		•
2-370748	SÖÐULL 48,2X5,0mm	0,35		•
2-370759	SÖÐULL 60,3X2,9mm	0,27		•
2-370760	SÖÐULL 60,3X5,0mm	0,50		•
2-370776	SÖÐULL 76,1X4,5mm	0,84		•
2-370787	SÖÐULL 88,9X3,2mm	0,68		•
2-370788	SÖÐULL 88,9X4,5mm	1,24		•
2-370790	SÖÐULL 114,3X5,0mm	1,87		•
2-370792	SÖÐULL 139,7x6,3mm	3,52		•
2-370794	SÖÐULL 168,3X6,3mm	4,98		•
2-370796	SÖÐULL 219,1X8,0mm	12,46		•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuhné / Elbow</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>DIN 2609, S235 samkvæmt DIN 1629 Þunn</b>			
2-370819	HNÉ 21,3x2,0mm - 45°	0,02	•	
2-370830	HNÉ 42,4x2,6mm - 45°	0,10		•
2-371219	HNÉ 21,3x2,0mm - 90°	0,04	•	•
2-371222	HNÉ 26,9x2,3mm - 90°	0,06	•	•
2-371225	HNÉ 33,7x2,6mm - 90°	0,12	•	•
2-371226	HNÉ 42,4x2,6mm - 90°	0,19	•	•
2-371227	HNÉ 48,3x2,6mm - 90°	0,26	•	•
2-371228	HNÉ 60,3x2,9mm - 90°	0,49	•	•
2-371229	HNÉ 76,1x2,9mm - 90°	0,78	•	•
2-371230	HNÉ 88,9x3,2mm - 90°	1,22	•	•
2-371230-1	HNÉ 101,6x3,6mm - 90°	1,83	•	•
2-371231	HNÉ 114,3x3,6mm - 90°	2,36	•	•
2-371232	HNÉ 139,7x4,0mm - 90°	4,00	•	•
2-371233	HNÉ 168,3x4,5mm - 90°	6,50	•	•
2-372219	HNÉ 21,3x2,0mm - 180°	0,11	•	•
2-372222	HNÉ 26,9x2,3mm - 180°	0,10	•	•
2-372225	HNÉ 33,7x2,6mm - 180°	0,21	•	•
2-372226	HNÉ 42,4x2,6mm - 180°	0,38	•	•
2-372227	HNÉ 48,3x2,6mm - 180°	0,52	•	•
2-372228	HNÉ 60,3x2,9mm - 180°	0,98	•	•
	<b>Suðuhné / Elbows</b>			
	<b>Svart / Black</b>			
	<b>DIN 2609, S235 samkvæmt DIN 1629 Þykk</b>			
2-381230	HNÉ 26,9x4,0mm - 90°	0,11	•	•
2-381640	HNÉ 33,7x4,0mm - 90°	0,18	•	•
2-382040	HNÉ 42,4x4,0mm - 90°	0,30	•	•
2-382445	HNÉ 48,3x4,5mm - 90°	0,44	•	•
2-383250	HNÉ 60,3x5,0mm - 90°	0,86	•	•
2-383255	HNÉ 60,3x6,3mm - 90°	0,90	•	•
2-384050	HNÉ 76,1x5,0mm - 90°	1,31	•	•
2-384071	HNÉ 76,1x7,1mm - 90°	1,65	•	•
2-384850	HNÉ 88,9x5,0mm - 90°	1,86	•	•
2-384863	HNÉ 88,9x6,3mm - 90°	2,34	•	•
2-386450	HNÉ 114,3x4,5mm - 90°	3,85	•	•
2-386463	HNÉ 114,3x6,3mm - 90°	3,85	•	•
2-388063	HNÉ 139,7x6,3mm - 90°	6,20	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuhné / Elbows</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>DIN 2609, S235 samkvæmt DIN 1629 þykk</b>			
2-389663	HNÉ 168,3x6,3mm - 90°	9,04	•	•
2-389665	HNÉ 219,1x8,0mm - 90°	21,90	•	•
2-389668	HNÉ 273,1x8,8mm - 90°	36,00	•	•
2-389670	HNÉ 323,9x7,1mm - 90°	39,80	•	•
2-389672	HNÉ 355,6x8,0mm - 90°	57,40	•	
	<b>Suðuhné / Elbows</b>			
	<b>Svart / Black</b>			
	<b>DIN 2605, St. 35,8 samkvæmt DIN 17175</b>			
2-389675	HNÉ 21,3x2,0mm - 90° St-35.8/1	0,04	•	
2-389676	HNÉ 26,9x2,3mm - 90° St-35.8/1	0,06	•	
2-381240	HNÉ 26,9x4,0mm - 90° St-35.8/1	0,09	•	
2-389677	HNÉ 33,7x2,6mm - 90° St-35.8/1	0,12	•	
2-389678	HNÉ 42,4x2,6mm - 90° St-35.8/1	0,19	•	
2-389679	HNÉ 48,3x2,6mm - 90° St-35.8/1	0,26	•	
2-389680	HNÉ 60,3x2,9mm - 90° St-35.8/1	0,49	•	
2-389681	HNÉ 76,1x2,9mm - 90° St-35.8/1	0,78	•	
2-389682	HNÉ 88,9x3,2mm - 90° St-35.8/1	1,22	•	
2-389683	HNÉ 114,3x3,6mm - 90° St-35.8/1	2,35	•	
2-389684	HNÉ 139,7x4,0mm - 90° St-35.8/1	4,00	•	
2-389685	HNÉ 168,3x4,5mm - 90° St-35.8/1	6,54	•	
2-389673	HNÉ 406,4x8,8mm - 90° St-35.8/1	82,70	•	
	<b>Suðuté / Welding tee</b>			
	<b>Svart / Black</b>			
	<b>DIN 2615, St. 35,8 samkvæmt DIN 17175</b>			
2-389701	SUÐUTÉ 26,9x2,3mm 3/4"	0,14	•	•
2-389702	SUÐUTÉ 33,7x2,6mm 1"	0,29	•	•
2-389703	SUÐUTÉ 42,4x2,6mm 1 1/4"	0,49	•	•
2-389704	SUÐUTÉ 48,3x2,6mm 1 1/2"	0,65	•	•
2-389705	SUÐUTÉ 60,3x2,9mm 2"	1,07	•	•
2-389706	SUÐUTÉ 76,1x2,9mm 2 1/2"	1,82	•	•
2-389707	SUÐUTÉ 88,9x3,2mm 3"	2,60	•	•
2-389708	SUÐUTÉ 114,3x3,6mm 4"	3,50	•	•
2-389709	SUÐUTÉ 139,7x4,0mm 5"	5,60	•	•
2-389710	SUÐUTÉ 168,3x4,5mm 6"	7,90	•	•
2-389751	SUÐUTÉ 26,9x3,2mm 3/4"	0,20	•	•
2-389752	SUÐUTÉ 33,7x3,2mm 1"	0,37	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuté / Welding tee</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>DIN 2615, St. 35,8 samkvæmt DIN 17175</b>			
2-389753	SUÐUTÉ 42,4x3,6mm 1 1/4"	0,68	•	•
2-389754	SUÐUTÉ 48,3x5,0mm 1 1/2"	1,12	•	•
2-389755	SUÐUTÉ 60,3x4,5mm 2"	1,66	•	•
2-389756	SUÐUTÉ 76,1x4,5mm 2 1/2"	2,82	•	•
2-389756A	SUÐUTÉ 76,1x7,1mm 2 1/2"	2,82	•	•
2-389756B	SUÐUTÉ 88,9x5,6mm 3"	3,40	•	•
2-389757	SUÐUTÉ 88,9x8,0mm 3"	3,64	•	•
2-389757A	SUÐUTÉ 88,9x8,8mm 3"	3,64	•	•
2-389758	SUÐUTÉ 114,3x6,3mm 4"	4,87	•	•
2-389759	SUÐUTÉ 139,7x6,3mm 5"	7,84	•	•
2-389759B	SUÐUTÉ 139,7x5,6mm 5"	7,84	•	•
2-389760	SUÐUTÉ 168,3x7,1mm 6"	11,10	•	•
2-389764	SUÐUTÉ 219,1x8,0mm	24,60	•	•
2-389771	SUÐUTÉ 273,0x8,8mm 10"	40,50	•	•
	<b>Suðuminnkun / Welding reducer</b>			
	<b>Svart / Black</b>			
	<b>DIN 2616, St. 35,8 samkvæmt DIN 17175</b>			
2-389801	SUÐUM. 33,7x3,2 / 21,3x3,2	0,13	•	•
2-389802	SUÐUM. 33,7x3,2 / 26,9x3,2	0,13	•	•
2-389803	SUÐUM. 42,4x3,6 / 21,3x3,2	0,18	•	•
2-389804	SUÐUM. 42,4x3,6 / 26,9x3,2	0,18	•	•
2-389805	SUÐUM. 42,4x3,6 / 33,7x3,2	0,20	•	•
2-389806	SUÐUM. 48,3x4,0 / 26,9x3,2	0,22	•	•
2-389807	SUÐUM. 48,3x4,0 / 33,7x3,2	0,24	•	•
2-389808	SUÐUM. 48,3x4,0 / 42,4x3,6	0,26	•	•
2-3898085	SUÐUM. 60,3x4,5 / 26,9x3,2	0,42	•	•
2-389809	SUÐUM. 60,3x4,5 / 33,7x3,2	0,37	•	•
2-389810	SUÐUM. 60,3x4,5 / 42,4x3,6	0,39	•	•
2-389811	SUÐUM. 60,3x4,5 / 48,3x4,0	0,41	•	•
2-389812	SUÐUM. 76,1x5,0 / 42,4x3,6	0,67	•	•
2-389813	SUÐUM. 76,1x5,0 / 48,3x4,0	0,68	•	•
2-389814	SUÐUM. 76,1x5,0 / 60,3x4,5	0,73	•	•
2-389815	SUÐUM. 88,9x5,6 / 48,3x4,0	0,86	•	•
2-389816	SUÐUM. 88,9x5,6 / 60,3x4,5	0,91	•	•
2-389817	SUÐUM. 88,9x5,6 / 76,1x5,0	1,00	•	•
2-389818	SUÐUM. 114,3x6,3 / 60,3x4,5	1,63	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Suðuminnkun / Welding reducer</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>DIN 2616, St. 35,8 samkvæmt DIN 17175</b>			
2-389819	SUÐUM.114,3x6,3 / 76,1x5,0	1,73	•	•
2-389820	SUÐUM.114,3x6,3 / 88,9x5,6	1,73	•	•
2-389821	SUÐUM.139,7x6,3 / 76,1x5,0	2,77	•	•
2-389822	SUÐUM.139,7x6,3 / 88,9x5,6	2,77	•	•
2-389823	SUÐUM.139,7x6,3 / 114,3x6,3	2,87	•	•
2-389824	SUÐUM.168,3x7,1 / 88,9x5,6	3,95	•	•
2-389825	SUÐUM.168,3x7,1 / 114,3x6,3	3,95	•	•
2-389826	SUÐUM.168,3x7,1 / 139,7x6,3	3,95	•	•
2-389828	SUÐUM.219,1x8,0 / 114,3x6,3	3,95	•	•
2-389829	SUÐUM.219,1x8,0 / 139,7x6,3	3,95	•	•
2-389830	SUÐUM.219,1x8,0 / 168,3x7,1	6,40	•	•
2-389836	SUÐUM. 273,0x8,8 / 114,3x4,5	10,00	•	•
2-389838	SUÐUM.273,0x8,0 / 168,3x7,1	10,00	•	•
2-389840	SUÐUM.273,0x8,8 / 219,1x8,0	10,00	•	•
2-3898490	SUÐUM.42,4x2,6 / 26,9x2,6 ÞUNN	0,31	•	
2-3898500	SUÐUM.48,3x2,6 / 26,9x2,6 ÞUNN	0,31	•	
2-3898507	SUÐUM.48,3x2,6 / 33,7x2,6 ÞUNN	0,31	•	
2-3898515	SUÐUM.60,3x2,9 / 33,7x2,6 ÞUNN	0,31	•	
2-3898517	SUÐUM.60,3x2,9 / 42,4x2,6 ÞUNN	0,31	•	
2-3898525	SUÐUM.88,9x3,2 / 48,3x2,6 ÞUNN	0,31	•	
2-3898530	SUÐUM.114,3x3,6 / 88,8x3,2 ÞUNN	0,99	•	
	<b>Suðubotn / End cap</b>			
	<b>Svart / Black</b>			
	<b>DIN 28011, fasaðir, Rst.37-2/S235 JRG2/EN 10025, DIN 17100</b>			
2-389901	SUÐUBOTN 33,7x3mm 1"	0,07	•	•
2-389902	SUÐUBOTN 42,4x3mm 1 1/4"	0,08	•	•
2-389903	SUÐUBOTN 48,3x3mm 1 1/2"	0,17	•	•
2-389904	SUÐUBOTN 60,3x3mm 2"	0,26	•	•
2-389905	SUÐUBOTN 76,1x3mm 2 1/2"	0,34	•	•
2-389906	SUÐUBOTN 88,9x3mm 3"	0,30	•	•
2-389907	SUÐUBOTN 114,3x4mm 4"	1,70	•	•
2-389908	SUÐUBOTN 139,7x4mm 5"	1,55	•	•
2-389909	SUÐUBOTN 168,3x5mm 6"	2,65	•	•
2-389919	SUÐUBOTN 219,1x6mm 8"	2,65	•	•
2-389920	SUÐUBOTN 273,0 x 6,3mm 10"	1,00	•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði

Vörunr.	Vöruheiti	Þyngd	A	H
	<b>Kúptir botnar, fyrir handriðarör</b>	<b>kg/stk</b>		
	<b>Svart / Black</b>			
	<b>Rst.37-2/S235 JRG2</b>			
2-389950	BOTNAR KÚPTIR 25mm 3/4"		•	•
2-389952	BOTNAR KÚPTIR 31mm 1"		•	•
2-389954	BOTNAR KÚPTIR 40mm 1 1/4"		•	•
2-389956	BOTNAR KÚPTIR 45mm 1 1/2"		•	•
2-389958	BOTNAR KÚPTIR 57mm 2"		•	•
2-389960	BOTNAR KÚPTIR 73mm 2 1/2"		•	•
2-389962	BOTNAR KÚPTIR 85mm 3"		•	•
2-389964	BOTNAR KÚPTIR 96mm 3 1/2"		•	•
2-389966	BOTNAR KÚPTIR 100mm		•	•
2-389968	BOTNAR KÚPTIR 112mm 4"		•	•
2-389970	BOTNAR KÚPTIR 127mm 5"		•	•
2-389971	BOTNAR KÚPTIR 155mm 6"		•	•
	<b>Sléttir botnar</b>			
	<b>Svart / Black</b>			
2-389972	BOTNAR SLÉTTIR 50mm		•	•
2-389974	BOTNAR SLÉTTIR 73mm		•	•
2-389976	BOTNAR SLÉTTIR 100mm		•	•
2-389978	BOTNAR SLÉTTIR 112mm		•	•
2-389980	BOTNAR SLÉTTIR 130mm		•	•

A = Lagervara á Akureyri

H = Lagervara í Hafnarfirði